Brush Clearance Preparedness



Daryl L. Osby, Fire Chief

HOME LANDSCAPING AND YARD

- URBAN INTERFACE AREAS Remove flammable vegetation and other combustible growth within 30 feet of any structures. Thin out or remove vegetation an additional 70 feet from the structure to a total of 100 feet.
- ☐ **HIGH HAZARD AREAS** The Inspecting Officer with the approval of the Fire Chief may require additional thinning out or removal of vegetation an additional 150 feet from the structure to a total of 200 feet.
- Single tree, ornamental shrubbery and ground covers may be permitted provided they do not readily transmit fire from vegetation to structure from radiant heat.
- ☐ Landscape with plants that are drought tolerant and fire resistant. Maintain plants!
- Space trees and shrubs a minimum of 15ft apart or three times their distance from other shrubs
- Trees should be spaced to allow a minimum of 30 feet between canopies at maturity
- ☐ Trees taller than 18ft., prune lower branches within 6 feet from the ground
- ☐ For trees and shrubs of less than 18ft. prune lower branches to one third of their height
- ☐ Maintain all plants by regularly removing dead branches and leaves
- ☐ Remove all stacks of combustibles materials
- □ Stack wood at least 30 feet from structures. Remove flammable vegetation within 10 feet of woodpiles

HOME ACCESS

- ☐ Identify at least two exit routes from your neighborhood
- Post road signs to show traffic restrictions such as dead-end roads and height and weights limits of your road
- ☐ Clear back flammable vegetation at least 10 feet from roads and driveways
- Cut overhanging tree branches above roads to provide minimum of 16ft. of clearance
- ☐ Make sure street names and numbers are visible at intersections
- Post address on front of the house. If your house is not visible from the street post sign at front entrance of driveway or access road

For further information contact Forestry Division at (323) 890-4330 or visit our web site www.fire.lacounty.gov.

